

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

WARNING

Harmful if swallowed. Do not exceed specified application rate. Use only the application method specified for a particular use. Do not get on skin or on clothing. Prolonged or repeated skin contact may cause allergic reactions in some individuals. Wear long sleeved shirt, long pants, and hand protection such as rubber or chemical resistant gloves. Do not get in eyes. Wear protection such as goggles, face shield, or safety glasses.

Do NOT breathe vapors or mist during brush, roll, spray and dip applications. Wear a NIOSH/MSHA approved mist/vapor respirator when spraying for continued or prolonged use of this product or for frequent use of this product.

In case of medical questions, emergencies, or accidents involving this product, call Copper Care Wood Preservatives Inc. at 1-888-817-0131 (After business hours call 1-800-473-0179). Application of this product may produce a strong, lingering, unpleasant odor.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge.

Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority.

For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE

Store at temperature between 0°F and 100°F. Store in original container only. Keep container closed when not in use.

PESTICIDE DISPOSAL

Pesticide concentrate, solution or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by Federal, State or local authorities.

CONTAINER DISPOSAL

Plastic containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

or
Metal containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

GENERAL

Consult federal, state or local disposal authorities for approved alternative procedures.



Tenino Copper Naphthenate

EPA Reg. No. 71992-2-54471
EPA Est. No. 54471-NE-001

**KEEP OUT OF REACH
OF CHILDREN
WARNING**

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes and then continue rinsing eyes with water. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Do not induce vomiting unless told to do so by a poison control center or doctor.

IF INHALED: Remove person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor immediately for treatment advice.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor, or when going for treatment. In case of medical questions, emergencies, or accidents involving the product, call Copper Care Wood Preservatives Inc. at 1-888-817-0131 (After business hours call 1-800-473-0179).

See other precautionary statements on side panel.

ACTIVE INGREDIENT:

Copper naphthenate:.....18%
(Copper, as metal, 2%)

INERT INGREDIENTS: 82%

TOTAL:100%

CONTAINS PETROLEUM DISTILLATES

DISTRIBUTED BY:
Copper Care Wood Preservatives, Inc.
41676 261 Avenue
Humphrey, NE 68642
888-817-0131

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Use only the application method specified for a particular use. For Exterior Use Only.

Tenino Copper Naphthenate requires no dilution before use. It is intended to protect treated items against deterioration by stain, mold and decay fungi, moss, mildew, termites, wood-boring beetles and carpenter ants.

Tenino Copper Naphthenate may be applied to wood products such as lumber, posts, poles, siding, boats, piers, docks, boxes, roof shakes and shingles, porches, steps, fence pickets and rails beverage cases; and for ornamental planting landscape timbers, wooden seedling trays, plant and flower boxes. Wood treated with Tenino Copper Naphthenate is NOT suitable for food garden uses. Effective application rates vary according to severity of conditions to which the treated product is exposed. Wood to be treated should be thoroughly seasoned and free of bark. Do not apply at sites on or near water or wetlands. Wood treated with Tenino Copper Naphthenate should not be used where it may come in contact with food, feed or potable water.

FOR TEXTILE TREATMENT

Tenino Copper Naphthenate may be applied to cellulosic textiles and cordage products such as tents, awnings, tarpaulins, canvas products, ropes, and nets (except fishnets). However, Tenino Copper Naphthenate should not be used to treat textiles intended for uses resulting in repeated skin contact or contact with food or feed or potable water. Effective application results in 1% copper metal remaining in the treated product. The level of treatment is usually attained by dipping or soaking the product in Tenino Copper Naphthenate containing 2% copper metal.

FOR TREATMENT BY SPRAYING, DIP, ROLLER, AND BRUSH

ABOVE GROUND CONTACT

The best results will be obtained if wood to be treated is immersed for 3 minutes or longer. If dipping is not possible, 2 brush coats, roller, or spray applications should be applied. Allow at least 1 hour between applications. Make certain all areas are fully treated to get the maximum benefits. Allow 24 hours or longer after application of the preservative prior to painting.

COVERAGE: One gallon covers 100-300 sq. ft. depending upon the wood species, porosity of the wood, and method of application.

GROUND CONTACT

Seasoned or green wood may be treated. Make certain the wood is free of bark then immerse in Tenino Copper Naphthenate for 12-48 hours or until the sapwood is completely penetrated.

FOR REMEDIAL TREATMENTS

Tenino Copper Naphthenate solutions of 2% copper metal may be used for external remedial treatment of standing wood poles, piling and other existing structures.

Tenino Copper Naphthenate may be used by formulators as an active ingredient source for ready-to-use pesticide products registered with the US Environmental Protection Agency. Products formulated or repackaged from this product must be labeled for "Exterior Use Only," and must bear all statements listed under the section entitled Precautionary statements and the repackager(s) or formulator(s) telephone number.